



Industrial Batteries - Classic GroE

The proven, reliable energy storage

EXIDE Technologies

Network Power

Im Thiergarten

63654 Büdingen

Germany

Tel.: +49 (0) 60 42 / 81 70


Fax: +49 (0) 60 42 / 81 233

www.networkpower.exide.com

NXCGRTE00001002

Specifications

- 4 Extremely low internal resistance and high current output
- 4 Short and long discharge times; reliably and safely; with a high stable voltage
- 4 Low maintenance; no antimony in the positive plate
- 4 Positive pure-lead, large-format plates with a laminated structure, pasted negative grid plates
- 4 Transparent cell containers in SAN plastic make inspection and maintenance easy
- 4 Minimal water consumption on float charge
- 4 Low self-discharge
- 4 Nominal capacity 75 - 2600 Ah C_{10}
- 4 The high production quality and the extremely low acid density ensure a long Design Life of 20 years and more




Cells with GroE 25-Plate

Type	Part number	Nominal voltage	Nominal capacity C ₁₀ 1,8 V/C 20 °C	Length (l)	Width (b/w)	Height (h*)	Installed length (B/L)	Weight cell including acid	Weight acid **	Internal resistance	Short circuit current	Terminal	Pole pairs
		V	Ah	max. mm	max. mm	max. mm	mm	ca. kg	ca. kg	mΩ/cell	A		
3 GroE 75	NVGR020075WC0FA	2	75	182	153	388	192	17,5	6,6	0,550	3760	F-M8	1
4 GroE 100	NVGR020100WC0FA	2	100	182	153	388	192	19,7	6,4	0,435	4760	F-M8	1
5 GroE 125	NVGR020125WC0FA	2	125	182	153	388	192	21,9	6,2	0,345	6000	F-M8	1
6 GroE 150	NVGR020150WC0FA	2	150	182	153	388	192	24,1	6,0	0,285	7260	F-M8	1
7 GroE 175	NVGR020175WC0FA	2	175	182	153	388	192	26,3	5,8	0,240	8620	F-M8	1
8 GroE 200	NVGR020200WC0FA	2	200	182	228	388	192	33,2	9,4	0,215	9630	F-M8	1
9 GroE 225	NVGR020225WC0FA	2	225	182	228	388	192	35,4	9,2	0,185	11190	F-M8	1
10 GroE 250	NVGR020250WC0FA	2	250	182	228	388	192	37,6	9,0	0,170	12180	F-M8	1
11 GroE 275	NVGR020275WC0FA	2	275	182	228	388	192	39,8	8,8	0,160	12940	F-M8	1
12 GroE 300	NVGR020300WC0FA	2	300	182	228	388	192	42,0	8,6	0,150	13800	F-M8	1
13 GroE 325	NVGR020325WC0FA	2	325	182	338	388	192	52,5	14,1	0,145	14280	F-M8	2
14 GroE 350	NVGR020350WC0FA	2	350	182	338	388	192	54,7	13,8	0,140	14790	F-M8	2
15 GroE 375	NVGR020375WC0FA	2	375	182	338	388	192	56,9	13,6	0,138	15000	F-M8	2
16 GroE 400	NVGR020400WC0FA	2	400	182	338	388	192	59,1	13,3	0,135	15330	F-M8	2
17 GroE 425	NVGR020425WC0FA	2	425	182	338	388	192	61,3	13,0	0,133	15560	F-M8	2
18 GroE 450	NVGR020450WC0FA	2	450	182	338	388	192	63,5	12,7	0,132	15680	F-M8	2


* The above mentioned height can differ depending on the used vent(s)

** Acid density $d_N = 1,22 \text{ kg/l}$



Container, terminal and torque

Container:
SAN (Styrolacrylnitril)



20 Nm

Technical characteristics and data




Cells with GroE 100-Plate

Type	Part number	Nominal voltage	Nominal capacity C10 1,8 V/C 20 °C	Length (l)	Width (b/w)	Height (h*)	Installed length (B/L)	Weight cell including acid	Weight acid **	Internal resistance	Short circuit current	Terminal
		V	Ah	max. mm	max. mm	max. mm		ca. kg	ca. kg			
5 GroE 500	NVGR020500WC0FA	2	500	328	268	567	338	95	34	0,170	12180	F-M8
6 GroE 600	NVGR020600WC0FA	2	600	328	268	567	338	104	33	0,150	13800	F-M8
7 GroE 700	NVGR020700WC0FA	2	700	328	268	567	338	113	32	0,133	15560	F-M8
8 GroE 800	NVGR020800WC0FA	2	800	328	268	567	338	122	31	0,120	17250	F-M8
9 GroE 900	NVGR020900WC0FA	2	900	328	268	567	338	131	30	0,112	18480	F-M8
10 GroE 1000	NVGR021000WC0FA	2	1000	328	268	567	338	140	29	0,105	19710	F-M8
11 GroE 1100	NVGR021100WC0FA	2	1100	328	268	567	338	149	28	0,100	20700	F-M8
12 GroE 1200	NVGR021200WC0FA	2	1200	328	348	567	338	170	39	0,096	21560	F-M8
13 GroE 1300	NVGR021300WC0FA	2	1300	328	348	567	338	179	38	0,093	22190	F-M8
14 GroE 1400	NVGR021400WC0FA	2	1400	328	348	567	338	188	37	0,090	13000	F-M8
15 GroE 1500	NVGR021500WC0FA	2	1500	328	348	567	338	197	36	0,088	23520	F-M8
16 GroE 1600	NVGR021600WC0FA	2	1600	328	438	567	338	222	49	0,087	23790	F-M8
17 GroE 1700	NVGR021700WC0FA	2	1700	328	438	567	338	231	48	0,085	24350	F-M8
18 GroE 1800	NVGR021800WC0FA	2	1800	328	438	567	338	240	47	0,084	24640	F-M8
19 GroE 1900	NVGR021900WC0FA	2	1900	328	438	567	338	249	46	0,083	24850	F-M8
20 GroE 2000	NVGR022000WC0FA	2	2000	328	438	567	338	258	45	0,082	25240	F-M8
21 GroE 2100	NVGR022100WC0FA	2	2100	328	528	567	338	285	58	0,082	25400	F-M8
22 GroE 2200	NVGR022200WC0FA	2	2200	328	528	567	338	294	57	0,081	25560	F-M8
23 GroE 2300	NVGR022300WC0FA	2	2300	328	528	567	338	303	56	0,080	25870	F-M8
24 GroE 2400	NVGR022400WC0FA	2	2400	328	528	567	338	312	55	0,080	26040	F-M8
25 GroE 2500	NVGR022500WC0FA	2	2500	328	573	567	338	325	60	0,079	26200	F-M8
26 GroE 2600	NVGR022600WC0FA	2	2600	328	573	567	338	334	59	0,079	26370	F-M8


* The above mentioned height can differ depending on the used vent(s)

** Acid density $d_N = 1,22$ kg/l



Container, terminal and torque

Container:
SAN (Styrolacrylnitril)



20 Nm



Constant current discharge



1,90 V/C - Discharge in A at 20°C											
Type	Part number	1min	5min	10min	15min	20min	30min	1 h	3 h	5 h	10 h
3 GroE 75	NVGR020075WC0FA	55,5	55,5	55,5	55,5	51,9	45,9	34,5	18,6	10,8	6,6
4 GroE 100	NVGR020100WC0FA	74,0	74,0	74,0	74,0	69,2	61,2	46,0	24,8	14,4	8,8
5 GroE 125	NVGR020125WC0FA	92,5	92,5	92,5	92,5	86,5	76,5	57,5	31,0	18,0	11,0
6 GroE 150	NVGR020150WC0FA	111,0	111,0	111,0	111,0	103,8	91,8	69,0	37,2	21,6	13,2
7 GroE 175	NVGR020175WC0FA	129,5	129,5	129,5	129,5	121,1	107,1	80,5	43,4	25,2	15,4
8 GroE 200	NVGR020200WC0FA	148,0	148,0	148,0	148,0	138,4	122,4	92,0	49,6	28,8	17,6
9 GroE 225	NVGR020225WC0FA	166,5	166,5	166,5	166,5	155,7	137,7	103,5	55,8	32,4	19,8
10 GroE 250	NVGR020250WC0FA	185,0	185,0	185,0	185,0	173,0	153,0	115,0	62,0	36,0	22,0
11 GroE 275	NVGR020275WC0FA	203,5	203,5	203,5	203,5	190,3	168,3	126,5	68,2	39,6	24,2
12 GroE 300	NVGR020300WC0FA	222,0	222,0	222,0	222,0	207,6	183,6	138,0	74,4	43,2	26,4
13 GroE 325	NVGR020325WC0FA	240,5	240,5	240,5	240,5	224,9	198,9	149,5	80,6	46,8	28,6
14 GroE 350	NVGR020350WC0FA	259,0	259,0	259,0	259,0	242,2	214,2	161,0	86,8	50,4	30,8
15 GroE 375	NVGR020375WC0FA	277,5	277,5	277,5	277,5	259,5	229,5	172,5	93,0	54,0	33,0
16 GroE 400	NVGR020400WC0FA	296,0	296,0	296,0	296,0	276,8	244,8	184,0	99,2	57,6	35,2
17 GroE 425	NVGR020425WC0FA	314,5	314,5	314,5	314,5	294,1	260,1	195,5	105,4	61,2	37,4
18 GroE 450	NVGR020450WC0FA	333,0	333,0	333,0	333,0	311,4	275,4	207,0	111,6	64,8	39,6
5 GroE 500	NVGR020500WC0FA	250,0	250,0	250,0	250,0	242,5	227,5	200,0	106,5	76,5	45,5
6 GroE 600	NVGR020600WC0FA	300,0	300,0	300,0	300,0	291,0	273,0	240,0	127,8	91,8	54,6
7 GroE 700	NVGR020700WC0FA	350,0	350,0	350,0	350,0	339,5	318,5	280,0	149,1	107,1	63,7
8 GroE 800	NVGR020800WC0FA	400,0	400,0	400,0	400,0	388,0	364,0	320,0	170,4	122,4	72,8
9 GroE 900	NVGR020900WC0FA	450,0	450,0	450,0	450,0	436,5	409,5	360,0	191,7	137,7	81,9
10 GroE 1000	NVGR021000WC0FA	500,0	500,0	500,0	500,0	485,0	455,0	400,0	213,0	153,0	91,0
11 GroE 1100	NVGR021100WC0FA	550,0	550,0	550,0	550,0	533,5	500,5	440,0	234,3	168,3	100,1
12 GroE 1200	NVGR021200WC0FA	600,0	600,0	600,0	600,0	582,0	546,0	480,0	255,6	183,6	109,2
13 GroE 1300	NVGR021300WC0FA	650,0	650,0	650,0	650,0	630,5	591,5	520,0	276,9	198,9	118,3
14 GroE 1400	NVGR021400WC0FA	700,0	700,0	700,0	700,0	679,0	637,0	560,0	298,2	214,2	127,4
15 GroE 1500	NVGR021500WC0FA	750,0	750,0	750,0	750,0	727,5	682,5	600,0	319,5	229,5	136,5
16 GroE 1600	NVGR021600WC0FA	800,0	800,0	800,0	800,0	776,0	728,0	640,0	340,5	244,8	145,6
17 GroE 1700	NVGR021700WC0FA	850,0	850,0	850,0	850,0	824,5	773,5	680,0	362,1	260,1	154,7
18 GroE 1800	NVGR021800WC0FA	900,0	900,0	900,0	900,0	873,0	819,0	720,0	383,4	275,4	163,8
19 GroE 1900	NVGR021900WC0FA	950,0	950,0	950,0	950,0	921,5	864,5	760,0	404,7	290,7	172,9
20 GroE 2000	NVGR022000WC0FA	1000,0	1000,0	1000,0	1000,0	970,0	910,0	800,0	426,0	306,0	182,0
21 GroE 2100	NVGR022100WC0FA	1050,0	1050,0	1050,0	1050,0	1018,5	955,5	840,0	447,3	321,3	191,1
22 GroE 2200	NVGR022200WC0FA	1100,0	1100,0	1100,0	1100,0	1067,0	1001,0	880,0	468,6	336,6	200,2
23 GroE 2300	NVGR022300WC0FA	1150,0	1150,0	1150,0	1150,0	1115,5	1046,5	920,0	489,9	351,9	209,3
24 GroE 2400	NVGR022400WC0FA	1200,0	1200,0	1200,0	1200,0	1164,0	1092,0	960,0	511,2	367,2	218,4
25 GroE 2500	NVGR022500WC0FA	1250,0	1250,0	1250,0	1250,0	1212,5	1137,5	1000,0	532,5	382,5	227,5
26 GroE 2600	NVGR022600WC0FA	1300,0	1300,0	1300,0	1300,0	1261,0	1183,0	1040,0	553,8	397,8	236,6

1,875 V/C - Discharge in A at 20°C											
Type	Part number	1min	5min	10min	15min	20min	30min	1 h	3 h	5 h	10 h
3 GroE 75	NVGR020075WC0FA	72,0	72,0	72,0	68,4	63,0	54,0	39,0	19,5	12,9	6,9
4 GroE 100	NVGR020100WC0FA	96,0	96,0	96,0	91,2	84,0	72,0	52,0	26,0	17,2	9,2
5 GroE 125	NVGR020125WC0FA	120,0	120,0	120,0	114,0	105,0	90,0	65,0	32,5	21,5	11,5
6 GroE 150	NVGR020150WC0FA	144,0	144,0	144,0	136,8	126,0	108,0	78,0	39,0	25,8	13,8
7 GroE 175	NVGR020175WC0FA	168,0	168,0	168,0	159,6	147,0	126,0	91,0	45,5	30,1	16,1
8 GroE 200	NVGR020200WC0FA	192,0	192,0	192,0	182,4	168,0	144,0	104,0	52,0	34,4	18,4
9 GroE 225	NVGR020225WC0FA	216,0	216,0	216,0	205,2	189,0	162,0	117,0	58,5	38,7	20,7
10 GroE 250	NVGR020250WC0FA	240,0	240,0	240,0	228,0	210,0	180,0	130,0	65,0	43,0	23,0
11 GroE 275	NVGR020275WC0FA	264,0	264,0	264,0	250,8	231,0	198,0	143,0	71,5	47,3	25,3
12 GroE 300	NVGR020300WC0FA	288,0	288,0	288,0	273,6	252,0	216,0	156,0	78,0	51,6	27,6
13 GroE 325	NVGR020325WC0FA	312,0	312,0	312,0	296,4	273,0	234,0	169,0	84,5	55,9	29,9
14 GroE 350	NVGR020350WC0FA	336,0	336,0	336,0	319,2	294,0	252,0	182,0	91,0	60,2	32,2
15 GroE 375	NVGR020375WC0FA	360,0	360,0	360,0	342,0	315,0	270,0	195,0	97,5	64,5	34,5
16 GroE 400	NVGR020400WC0FA	384,0	384,0	384,0	364,8	336,0	288,0	208,0	104,0	68,8	36,8
17 GroE 425	NVGR020425WC0FA	408,0	408,0	408,0	387,6	357,0	306,0	221,0	110,5	73,1	39,1
18 GroE 450	NVGR020450WC0FA	432,0	432,0	432,0	410,4	378,0	324,0	234,0	117,0	77,4	41,4
5 GroE 500	NVGR020500WC0FA	340,0	340,0	340,0	340,0	320,0	300,0	220,0	117,5	84,0	48,5
6 GroE 600	NVGR020600WC0FA	408,0	408,0	408,0	408,0	384,0	360,0	264,0	141,0	100,8	58,2
7 GroE 700	NVGR020700WC0FA	476,0	476,0	476,0	476,0	448,0	420,0	308,0	164,5	117,6	67,9
8 GroE 800	NVGR020800WC0FA	544,0	544,0	544,0	544,0	512,0	480,0	352,0	188,0	134,4	77,6
9 GroE 900	NVGR020900WC0FA	612,0	612,0	612,0	612,0	576,0	540,0	396,0	211,5	151,2	87,3
10 GroE 1000	NVGR021000WC0FA	680,0	680,0	680,0	680,0	640,0	600,0	440,0	235,0	168,0	97,0
11 GroE 1100	NVGR021100WC0FA	748,0	748,0	748,0	748,0	704,0	660,0	484,0	258,5	184,8	106,7
12 GroE 1200	NVGR021200WC0FA	816,0	816,0	816,0	816,0	768,0	720,0	528,0	282,0	201,6	116,4
13 GroE 1300	NVGR021300WC0FA	884,0	884,0	884,0	884,0	832,0	780,0	572,0	305,5	218,4	126,1
14 GroE 1400	NVGR021400WC0FA	952,0	952,0	952,0	952,0	896,0	840,0	616,0	329,0	235,2	135,8
15 GroE 1500	NVGR021500WC0FA	1020,0	1020,0	1020,0	1020,0	960,0	900,0	660,0	352,5	252,0	145,5
16 GroE 1600	NVGR021600WC0FA	1088,0	1088,0	1088,0	1088,0	1024,0	960,0	704,0	376,0	268,8	155,2
17 GroE 1700	NVGR021700WC0FA	1156,0	1156,0	1156,0	1156,0	1088,0	1020,0	748,0	399,5	285,6	164,9
18 GroE 1800	NVGR021800WC0FA	1224,0	1224,0	1224,0	1224,0	1152,0	1080,0	792,0	423,0	302,4	174,6
19 GroE 1900	NVGR021900WC0FA	1292,0	1292,0	1292,0	1292,0	1216,0	1140,0	836,0	446,5	319,2	184,3
20 GroE 2000	NVGR022000WC0FA	1360,0	1360,0	1360,0	1360,0	1280,0	1200,0	880,0	470,0	336,0	194,0
21 GroE 2100	NVGR022100WC0FA	1428,0	1428,0	1428,0	1428,0	1344,0	1260,0	924,0	493,5	352,8	203,7
22 GroE 2200	NVGR022200WC0FA	1496,0	1496,0	1496,0	1496,0	1408,0	1320,0	968,0	517,0	369,6	213,4
23 GroE 2300	NVGR022300WC0FA	1564,0	1564,0	1564,0	1564,0	1472,0	1380,0	1012,0	540,5	386,4	223,1
24 GroE 2400	NVGR022400WC0FA	1632,0	1632,0	1632,0	1632,0	1536,0	1440,0	1056,0	564,0	403,2	232,8
25 GroE 2500	NVGR022500WC0FA	1700,0	1700,0	1700,0	1700,0	1600,0	1500,0	1100,0	587,5	420,0	242,5
26 GroE 2600	NVGR022600WC0FA	1768,0	1768,0	1768,0	1768,0	1664,0	1560,0	1144,0	611,0	436,8	252,2



Constant current discharge



1,85 V/C - Discharge in A at 20°C											
Type	Part number	1min	5min	10min	15min	20min	30min	1 h	3 h	5 h	10 h
3 GroE 75	NVGR020075WC0FA	93,0	93,0	86,4	78,0	70,2	60,0	42,0	19,8	14,4	7,2
4 GroE 100	NVGR020100WC0FA	124,0	124,0	115,2	104,0	93,6	80,0	56,0	26,4	19,2	9,6
5 GroE 125	NVGR020125WC0FA	155,0	155,0	144,0	130,0	117,0	100,0	70,0	33,0	24,0	12,0
6 GroE 150	NVGR020150WC0FA	186,0	186,0	172,8	156,0	140,4	120,0	84,0	39,6	28,8	14,4
7 GroE 175	NVGR020175WC0FA	217,0	217,0	201,6	182,0	163,8	140,0	98,0	46,2	33,6	16,8
8 GroE 200	NVGR020200WC0FA	248,0	248,0	230,4	208,0	187,2	160,0	112,0	52,8	38,4	19,2
9 GroE 225	NVGR020225WC0FA	279,0	279,0	259,2	234,0	210,6	180,0	126,0	59,4	43,2	21,6
10 GroE 250	NVGR020250WC0FA	310,0	310,0	288,0	260,0	234,0	200,0	140,0	66,0	48,0	24,0
11 GroE 275	NVGR020275WC0FA	341,0	341,0	316,8	286,0	257,4	220,0	154,0	72,6	52,8	26,4
12 GroE 300	NVGR020300WC0FA	372,0	372,0	345,6	312,0	280,8	240,0	168,0	79,2	57,6	28,8
13 GroE 325	NVGR020325WC0FA	403,0	403,0	374,4	338,0	304,2	260,0	182,0	85,8	62,4	31,2
14 GroE 350	NVGR020350WC0FA	434,0	434,0	403,2	364,0	327,6	280,0	196,0	92,4	67,2	33,6
15 GroE 375	NVGR020375WC0FA	465,0	465,0	432,0	390,0	351,0	300,0	210,0	99,0	72,0	36,0
16 GroE 400	NVGR020400WC0FA	496,0	496,0	460,8	416,0	374,4	320,0	224,0	105,6	76,8	38,4
17 GroE 425	NVGR020425WC0FA	527,0	527,0	489,6	442,0	397,8	340,0	238,0	112,2	81,6	40,8
18 GroE 450	NVGR020450WC0FA	558,0	558,0	518,4	468,0	421,2	360,0	252,0	118,8	86,4	43,2
5 GroE 500	NVGR020500WC0FA	450,0	450,0	450,0	420,0	375,0	330,0	245,0	130,0	91,0	50,0
6 GroE 600	NVGR020600WC0FA	540,0	540,0	540,0	504,0	450,0	396,0	294,0	156,0	109,2	60,0
7 GroE 700	NVGR020700WC0FA	630,0	630,0	630,0	588,0	525,0	462,0	343,0	182,0	127,4	70,0
8 GroE 800	NVGR020800WC0FA	720,0	720,0	720,0	672,0	600,0	528,0	392,0	208,0	145,6	80,0
9 GroE 900	NVGR020900WC0FA	810,0	810,0	810,0	756,0	675,0	594,0	441,0	234,0	163,8	90,0
10 GroE 1000	NVGR021000WC0FA	900,0	900,0	900,0	840,0	750,0	660,0	490,0	260,0	182,0	100,0
11 GroE 1100	NVGR021100WC0FA	990,0	990,0	990,0	924,0	825,0	726,0	539,0	286,0	200,2	110,0
12 GroE 1200	NVGR021200WC0FA	1080,0	1080,0	1080,0	1008,0	900,0	792,0	588,0	312,0	218,4	120,0
13 GroE 1300	NVGR021300WC0FA	1170,0	1170,0	1170,0	1092,0	975,0	858,0	637,0	338,0	236,6	130,0
14 GroE 1400	NVGR021400WC0FA	1260,0	1260,0	1260,0	1176,0	1050,0	924,0	686,0	364,0	254,8	140,0
15 GroE 1500	NVGR021500WC0FA	1350,0	1350,0	1350,0	1260,0	1125,0	990,0	735,0	390,0	273,0	150,0
16 GroE 1600	NVGR021600WC0FA	1440,0	1440,0	1440,0	1344,0	1200,0	1056,0	784,0	416,0	291,2	160,0
17 GroE 1700	NVGR021700WC0FA	1530,0	1530,0	1530,0	1428,0	1275,0	1122,0	833,0	442,0	309,4	170,0
18 GroE 1800	NVGR021800WC0FA	1620,0	1620,0	1620,0	1512,0	1350,0	1188,0	882,0	468,0	327,6	180,0
19 GroE 1900	NVGR021900WC0FA	1710,0	1710,0	1710,0	1596,0	1425,0	1254,0	931,0	494,0	345,8	190,0
20 GroE 2000	NVGR022000WC0FA	1800,0	1800,0	1800,0	1680,0	1500,0	1320,0	980,0	520,0	364,0	200,0
21 GroE 2100	NVGR022100WC0FA	1890,0	1890,0	1890,0	1764,0	1575,0	1386,0	1029,0	546,0	382,2	210,0
22 GroE 2200	NVGR022200WC0FA	1980,0	1980,0	1980,0	1848,0	1650,0	1452,0	1078,0	572,0	400,4	220,0
23 GroE 2300	NVGR022300WC0FA	2070,0	2070,0	2070,0	1932,0	1725,0	1518,0	1127,0	598,0	418,6	230,0
24 GroE 2400	NVGR022400WC0FA	2160,0	2160,0	2160,0	2016,0	1800,0	1584,0	1176,0	624,0	436,8	240,0
25 GroE 2500	NVGR022500WC0FA	2250,0	2250,0	2250,0	2100,0	1875,0	1650,0	1225,0	650,0	455,0	250,0
26 GroE 2600	NVGR022600WC0FA	2340,0	2340,0	2340,0	2184,0	1950,0	1716,0	1274,0	676,0	473,2	260,0

1,825 V/C - Discharge in A at 20°C											
Type	Part number	1min	5min	10min	15min	20min	30min	1 h	3 h	5 h	10 h
3 GroE 75	NVGR020075WC0FA	106,8	106,8	96,0	86,4	77,4	66,0	45,3	20,1	14,7	7,2
4 GroE 100	NVGR020100WC0FA	142,4	142,4	128,0	115,2	103,2	88,0	60,4	26,8	19,6	9,6
5 GroE 125	NVGR020125WC0FA	178,0	178,0	160,0	144,0	129,0	110,0	75,5	33,5	24,5	12,0
6 GroE 150	NVGR020150WC0FA	213,6	213,6	192,0	172,8	154,8	132,0	90,6	40,2	29,4	14,4
7 GroE 175	NVGR020175WC0FA	249,2	249,2	224,0	201,6	180,6	154,0	105,7	46,9	34,3	16,8
8 GroE 200	NVGR020200WC0FA	284,8	284,8	256,0	230,4	206,4	176,0	120,8	53,6	39,2	19,2
9 GroE 225	NVGR020225WC0FA	320,4	320,4	288,0	259,2	232,2	198,0	135,9	60,3	44,1	21,6
10 GroE 250	NVGR020250WC0FA	356,0	356,0	320,0	288,0	258,0	220,0	151,0	67,0	49,0	24,0
11 GroE 275	NVGR020275WC0FA	391,6	391,6	352,0	316,8	283,8	242,0	166,1	73,7	53,9	26,4
12 GroE 300	NVGR020300WC0FA	427,2	427,2	384,0	345,6	309,6	264,0	181,2	80,4	58,8	28,8
13 GroE 325	NVGR020325WC0FA	462,8	462,8	416,0	374,4	335,4	286,0	196,3	87,1	63,7	31,2
14 GroE 350	NVGR020350WC0FA	498,4	498,4	448,0	403,2	361,2	308,0	211,4	93,8	68,6	33,6
15 GroE 375	NVGR020375WC0FA	534,0	534,0	480,0	432,0	387,0	330,0	226,5	100,5	73,5	36,0
16 GroE 400	NVGR020400WC0FA	569,6	569,6	512,0	460,8	412,8	352,0	241,6	107,2	78,4	38,4
17 GroE 425	NVGR020425WC0FA	605,2	605,2	544,0	489,6	438,6	374,0	256,7	113,9	83,3	40,8
18 GroE 450	NVGR020450WC0FA	640,8	640,8	576,0	518,4	464,4	396,0	271,8	120,6	88,2	43,2
5 GroE 500	NVGR020500WC0FA	500,0	500,0	480,0	460,0	412,5	355,0	257,5	132,5	91,0	51,5
6 GroE 600	NVGR020600WC0FA	600,0	600,0	576,0	552,0	495,0	426,0	309,0	159,0	109,2	61,8
7 GroE 700	NVGR020700WC0FA	700,0	700,0	672,0	644,0	577,5	497,0	360,5	185,5	127,4	72,1
8 GroE 800	NVGR020800WC0FA	800,0	800,0	768,0	736,0	660,0	568,0	412,0	212,0	145,6	82,4
9 GroE 900	NVGR020900WC0FA	900,0	900,0	864,0	828,0	742,5	639,0	463,5	238,5	163,8	92,7
10 GroE 1000	NVGR021000WC0FA	1000,0	1000,0	960,0	920,0	825,0	710,0	515,0	265,0	182,0	103,0
11 GroE 1100	NVGR021100WC0FA	1100,0	1100,0	1056,0	1012,0	907,5	781,0	566,5	291,5	200,2	113,3
12 GroE 1200	NVGR021200WC0FA	1200,0	1200,0	1152,0	1104,0	990,0	852,0	618,0	318,0	218,4	123,6
13 GroE 1300	NVGR021300WC0FA	1300,0	1300,0	1248,0	1196,0	1072,5	923,0	669,5	344,5	236,6	133,9
14 GroE 1400	NVGR021400WC0FA	1400,0	1400,0	1344,0	1288,0	1155,0	994,0	721,0	371,0	254,8	144,2
15 GroE 1500	NVGR021500WC0FA	1500,0	1500,0	1440,0	1380,0	1273,5	1065,0	772,5	397,5	273,0	154,5
16 GroE 1600	NVGR021600WC0FA	1600,0	1600,0	1536,0	1472,0	1320,0	1136,0	824,0	424,0	291,2	164,8
17 GroE 1700	NVGR021700WC0FA	1700,0	1700,0	1632,0	1564,0	1402,5	1207,0	875,5	450,5	309,4	175,1
18 GroE 1800	NVGR021800WC0FA	1800,0	1800,0	1728,0	1656,0	1485,0	1278,0	927,0	477,0	327,6	185,4
19 GroE 1900	NVGR021900WC0FA	1900,0	1900,0	1824,0	1748,0	1567,5	1349,0	978,5	503,5	345,8	195,7
20 GroE 2000	NVGR022000WC0FA	2000,0	2000,0	1920,0	1840,0	1650,0	1420,0	1030,0	530,0	364,0	206,0
21 GroE 2100	NVGR022100WC0FA	2100,0	2100,0	2016,0	1932,0	1732,5	1491,0	1081,5	556,5	382,2	216,3
22 GroE 2200	NVGR022200WC0FA	2200,0	2200,0	2112,0	2024,0	1815,0	1562,0	1133,0	583,0	400,4	226,6
23 GroE 2300	NVGR022300WC0FA	2300,0	2300,0	2208,0	2116,0	1897,5	1633,0	1184,5	609,5	418,6	236,9
24 GroE 2400	NVGR022400WC0FA	2400,0	2400,0	2304,0	2208,0	1980,0	1704,0	1236,0	636,0	436,8	247,2
25 GroE 2500	NVGR022500WC0FA	2500,0	2500,0	2400,0	2300,0	2062,5	1775,0	1287,5	662,5	455,0	257,5
26 GroE 2600	NVGR022600WC0FA	2600,0	2600,0	2496,0	2392,0	2145,0	1846,0	1339,0	689,0	473,2	267,8

Constant current discharge



1,80 V/C - Discharge in A at 20°C

Type	Part number	1min	5min	10min	15min	20min	30min	1 h	3 h	5 h	10 h
3 GroE 75	NVGR020075WC0FA	135,6	129,0	108,0	94,8	84,0	70,2	48,0	22,5	15,3	7,5
4 GroE 100	NVGR020100WC0FA	180,8	172,0	144,0	126,4	112,0	93,6	64,0	30,0	20,4	10,0
5 GroE 125	NVGR020125WC0FA	226,0	215,0	180,0	158,0	140,0	117,0	80,0	37,5	25,5	12,5
6 GroE 150	NVGR020150WC0FA	271,2	258,0	216,0	189,6	168,0	140,4	96,0	45,0	30,6	15,0
7 GroE 175	NVGR020175WC0FA	316,4	301,0	252,0	221,2	196,0	163,8	112,0	52,5	35,7	17,5
8 GroE 200	NVGR020200WC0FA	361,6	344,0	288,0	252,8	224,0	187,2	128,0	60,0	40,8	20,0
9 GroE 225	NVGR020225WC0FA	406,8	387,0	324,0	284,4	252,0	210,6	144,0	67,5	45,9	22,5
10 GroE 250	NVGR020250WC0FA	452,0	430,0	360,0	316,0	280,0	234,0	160,0	75,0	51,0	25,0
11 GroE 275	NVGR020275WC0FA	497,2	473,0	396,0	347,6	308,0	257,4	176,0	82,5	56,1	27,5
12 GroE 300	NVGR020300WC0FA	542,4	516,0	432,0	379,2	336,0	280,8	192,0	90,0	61,2	30,0
13 GroE 325	NVGR020325WC0FA	587,6	559,0	468,0	410,8	364,0	304,2	208,0	97,5	66,3	32,5
14 GroE 350	NVGR020350WC0FA	632,8	602,0	504,0	442,4	392,0	327,6	224,0	105,0	71,4	35,0
15 GroE 375	NVGR020375WC0FA	678,0	645,0	540,0	474,0	420,0	351,0	240,0	112,5	76,5	37,5
16 GroE 400	NVGR020400WC0FA	723,2	688,0	576,0	505,6	448,0	374,4	256,0	120,0	81,6	40,0
17 GroE 425	NVGR020425WC0FA	768,4	731,0	612,0	537,2	476,0	397,8	272,0	127,5	86,7	42,5
18 GroE 450	NVGR020450WC0FA	813,6	774,0	648,0	568,8	504,0	421,2	288,0	135,0	91,8	45,0
5 GroE 500	NVGR020500WC0FA	570,0	570,0	555,0	500,0	457,5	390,0	280,0	137,5	92,5	53,5
6 GroE 600	NVGR020600WC0FA	684,0	684,0	666,0	600,0	549,0	468,0	336,0	165,0	111,0	64,2
7 GroE 700	NVGR020700WC0FA	798,0	798,0	777,0	700,0	640,5	546,0	392,0	192,5	129,5	74,9
8 GroE 800	NVGR020800WC0FA	912,0	912,0	888,0	800,0	732,0	624,0	448,0	220,0	148,0	85,6
9 GroE 900	NVGR020900WC0FA	1026,0	1026,0	999,0	900,0	823,5	702,0	504,0	247,5	166,5	96,3
10 GroE 1000	NVGR021000WC0FA	1140,0	1140,0	1110,0	1000,0	915,0	780,0	560,0	275,0	185,0	107,0
11 GroE 1100	NVGR021100WC0FA	1254,0	1254,0	1221,0	1100,0	1006,5	858,0	616,0	302,5	203,5	117,7
12 GroE 1200	NVGR021200WC0FA	1368,0	1368,0	1332,0	1200,0	1098,0	936,0	672,0	330,0	222,0	128,4
13 GroE 1300	NVGR021300WC0FA	1482,0	1482,0	1443,0	1300,0	1189,5	1014,0	728,0	357,5	240,5	139,1
14 GroE 1400	NVGR021400WC0FA	1596,0	1596,0	1554,0	1400,0	1281,0	1092,0	784,0	385,0	259,0	149,8
15 GroE 1500	NVGR021500WC0FA	1710,0	1710,0	1665,0	1500,0	1372,5	1170,0	840,0	412,5	277,5	160,5
16 GroE 1600	NVGR021600WC0FA	1824,0	1824,0	1776,0	1600,0	1464,0	1248,0	896,0	440,0	296,0	171,2
17 GroE 1700	NVGR021700WC0FA	1938,0	1938,0	1887,0	1700,0	1555,5	1326,0	952,0	467,5	314,5	181,9
18 GroE 1800	NVGR021800WC0FA	2052,0	2052,0	1998,0	1800,0	1647,0	1404,0	1008,0	495,0	333,0	192,6
19 GroE 1900	NVGR021900WC0FA	2166,0	2166,0	2109,0	1900,0	1738,5	1482,0	1064,0	522,5	351,5	203,3
20 GroE 2000	NVGR022000WC0FA	2280,0	2280,0	2220,0	2000,0	1830,0	1560,0	1120,0	550,0	370,0	214,0
21 GroE 2100	NVGR022100WC0FA	2394,0	2394,0	2331,0	2100,0	1921,5	1638,0	1176,0	577,5	388,5	224,7
22 GroE 2200	NVGR022200WC0FA	2508,0	2508,0	2442,0	2200,0	2013,0	1716,0	1232,0	605,0	407,0	235,4
23 GroE 2300	NVGR022300WC0FA	2622,0	2622,0	2553,0	2300,0	2104,5	1794,0	1288,0	632,5	425,5	246,1
24 GroE 2400	NVGR022400WC0FA	2736,0	2736,0	2664,0	2400,0	2196,0	1872,0	1344,0	660,0	444,0	256,8
25 GroE 2500	NVGR022500WC0FA	2850,0	2850,0	2775,0	2500,0	2287,5	1950,0	1400,0	687,5	462,5	267,5
26 GroE 2600	NVGR022600WC0FA	2964,0	2964,0	2886,0	2600,0	2279,0	2028,0	1456,0	715,0	481,0	278,2

1,775 V/C - Discharge in A at 20°C

Type	Part number	1min	5min	10min	15min	20min	30min	1 h	3 h	5 h	10 h
3 GroE 75	NVGR020075WC0FA	148,2	136,8	118,8	102,0	90,0	74,4	49,5	22,8	15,6	7,5
4 GroE 100	NVGR020100WC0FA	197,6	182,4	158,4	136,0	120,0	99,2	66,0	30,4	20,8	10,0
5 GroE 125	NVGR020125WC0FA	247,0	228,0	198,0	170,0	150,0	124,0	82,5	38,0	26,0	12,5
6 GroE 150	NVGR020150WC0FA	296,4	273,6	237,6	204,0	180,0	148,8	99,0	45,6	31,2	15,0
7 GroE 175	NVGR020175WC0FA	345,8	319,2	277,2	238,0	210,0	173,6	115,5	53,2	36,4	17,5
8 GroE 200	NVGR020200WC0FA	395,2	364,8	316,8	272,0	240,0	198,4	132,0	60,8	41,6	20,0
9 GroE 225	NVGR020225WC0FA	444,6	410,4	356,4	306,0	270,0	223,2	148,5	68,4	46,8	22,5
10 GroE 250	NVGR020250WC0FA	494,0	456,0	396,0	340,0	300,0	248,0	165,0	76,0	52,0	25,0
11 GroE 275	NVGR020275WC0FA	543,4	501,6	435,6	374,0	330,0	272,8	181,5	83,6	57,2	27,5
12 GroE 300	NVGR020300WC0FA	592,8	547,2	475,2	408,0	360,0	297,6	198,0	91,2	62,4	30,0
13 GroE 325	NVGR020325WC0FA	642,2	592,8	514,8	442,0	390,0	322,4	214,5	98,8	67,6	32,5
14 GroE 350	NVGR020350WC0FA	691,6	638,4	554,4	476,0	420,0	347,2	231,0	106,4	72,8	35,0
15 GroE 375	NVGR020375WC0FA	741,0	684,0	594,0	510,0	450,0	372,0	247,5	114,0	78,0	37,5
16 GroE 400	NVGR020400WC0FA	790,4	729,6	633,6	544,0	480,0	396,8	264,0	121,6	83,2	40,0
17 GroE 425	NVGR020425WC0FA	839,8	775,2	673,2	578,0	510,0	421,6	280,5	129,2	88,4	42,5
18 GroE 450	NVGR020450WC0FA	889,2	820,8	712,8	612,0	540,0	446,4	297,0	136,8	93,6	45,0
5 GroE 500	NVGR020500WC0FA	690,0	690,0	610,0	550,0	495,0	425,0	302,5	146,0	97,5	57,0
6 GroE 600	NVGR020600WC0FA	828,0	828,0	732,0	660,0	594,0	510,0	363,0	175,2	117,0	68,4
7 GroE 700	NVGR020700WC0FA	966,0	966,0	854,0	770,0	693,0	595,0	423,5	204,4	136,5	79,8
8 GroE 800	NVGR020800WC0FA	1104,0	1104,0	976,0	880,0	792,0	680,0	484,0	233,6	156,0	91,2
9 GroE 900	NVGR020900WC0FA	1242,0	1242,0	1098,0	990,0	891,0	765,0	544,5	262,8	175,5	102,6
10 GroE 1000	NVGR021000WC0FA	1380,0	1380,0	1220,0	1100,0	990,0	850,0	605,0	292,0	195,0	114,0
11 GroE 1100	NVGR021100WC0FA	1518,0	1518,0	1342,0	1210,0	1089,0	935,0	665,5	321,2	214,5	125,4
12 GroE 1200	NVGR021200WC0FA	1656,0	1656,0	1464,0	1320,0	1188,0	1020,0	726,0	350,4	234,0	136,8
13 GroE 1300	NVGR021300WC0FA	1794,0	1794,0	1586,0	1430,0	1287,0	1105,0	786,5	379,6	253,5	148,2
14 GroE 1400	NVGR021400WC0FA	1932,0	1932,0	1708,0	1540,0	1386,0	1190,0	847,0	408,8	273,0	159,6
15 GroE 1500	NVGR021500WC0FA	2070,0	2070,0	1830,0	1650,0	1485,0	1275,0	907,5	438,0	292,5	171,0
16 GroE 1600	NVGR021600WC0FA	2208,0	2208,0	1952,0	1760,0	1584,0	1360,0	968,0	467,2	312,0	182,4
17 GroE 1700	NVGR021700WC0FA	2346,0	2346,0	2074,0	1870,0	1683,0	1445,0	1028,5	496,4	331,5	193,8
18 GroE 1800	NVGR021800WC0FA	2484,0	2484,0	2196,0	1980,0	1782,0	1530,0	1089,0	525,6	351,0	205,2
19 GroE 1900	NVGR021900WC0FA	2622,0	2622,0	2318,0	2090,0	1881,0	1615,0	1149,5	554,8	370,5	216,6
20 GroE 2000	NVGR022000WC0FA	2760,0	2760,0	2440,0	2200,0	1980,0	1700,0	1210,0	584,0	390,0	228,0
21 GroE 2100	NVGR022100WC0FA	2898,0	2898,0	2562,0	2310,0	2079,0	1785,0	1270,5	613,2	409,5	239,4
22 GroE 2200	NVGR022200WC0FA	3036,0	3036,0	2684,0	2420,0	2178,0	1870,0	1331,0	642,4	429,0	250,8
23 GroE 2300	NVGR022300WC0FA	3174,0	3174,0	2806,0	2530,0	2277,0	1955,0	1391,5	671,6	448,5	262,2
24 GroE 2400	NVGR022400WC0FA	3312,0	3312,0	2928,0	2640,0	2376,0	2040,0	1452,0	700,8	468,0	273,6
25 GroE 2500	NVGR022500WC0FA	3450,0	3450,0	3050,0	2750,0	2475,0	2125,0	1512,5	730,0	487,5	285,0
26 GroE 2600	NVGR022600WC0FA	3588,0	3588,0	3172,0	2860,0	2574,0	2210,0	1573,0	759,2	507,0	296,4

Constant current discharge



1,75 V/C - Discharge in A at 20°C												
Type	Part number	1min	5min	10min	15min	20min	30min	1 h	3 h	5 h	10 h	
3 GroE	75	NVGR020075WC0FA	172,5	158,4	126,0	108,0	94,5	78,0	50,7	22,8	15,6	7,5
4 GroE	100	NVGR020100WC0FA	230,0	211,2	168,0	144,0	126,0	104,0	67,6	30,4	20,8	10,0
5 GroE	125	NVGR020125WC0FA	287,5	264,0	210,0	180,0	157,5	130,0	84,5	38,0	26,0	12,5
6 GroE	150	NVGR020150WC0FA	345,0	316,8	252,0	216,0	189,0	156,0	101,4	45,6	31,2	15,0
7 GroE	175	NVGR020175WC0FA	402,5	369,6	294,0	252,0	220,5	182,0	118,3	53,2	36,4	17,5
8 GroE	200	NVGR020200WC0FA	460,0	422,4	336,0	288,0	252,0	208,0	135,2	60,8	41,6	20,0
9 GroE	225	NVGR020225WC0FA	517,5	475,2	378,0	324,0	283,5	234,0	152,1	68,4	46,8	22,5
10 GroE	250	NVGR020250WC0FA	575,0	528,0	420,0	360,0	315,0	260,0	169,0	76,0	52,0	25,0
11 GroE	275	NVGR020275WC0FA	632,5	580,8	462,0	396,0	346,5	286,0	185,9	83,6	57,2	27,5
12 GroE	300	NVGR020300WC0FA	690,0	633,6	504,0	432,0	378,0	312,0	202,8	91,2	62,4	30,0
13 GroE	325	NVGR020325WC0FA	747,5	686,4	546,0	468,0	409,5	338,0	219,7	98,8	67,6	32,5
14 GroE	350	NVGR020350WC0FA	805,0	739,2	588,0	504,0	441,0	364,0	236,6	106,4	72,8	35,0
15 GroE	375	NVGR020375WC0FA	862,5	792,0	630,0	540,0	472,5	390,0	253,5	114,0	78,0	37,5
16 GroE	400	NVGR020400WC0FA	920,0	844,8	672,0	576,0	504,0	416,0	270,4	121,6	83,2	40,0
17 GroE	425	NVGR020425WC0FA	977,5	897,6	714,0	612,0	535,5	442,0	287,3	129,2	88,4	42,5
18 GroE	450	NVGR020450WC0FA	1035,0	950,4	756,0	648,0	567,0	468,0	304,2	136,8	93,6	45,0
5 GroE	500	NVGR020500WC0FA	750,0	750,0	660,0	575,0	520,0	443,0	307,5	145,0	95,0	57,0
6 GroE	600	NVGR020600WC0FA	900,0	900,0	792,0	690,0	624,0	531,6	369,0	174,0	114,0	68,4
7 GroE	700	NVGR020700WC0FA	1050,0	1050,0	924,0	805,0	728,0	620,2	430,5	203,0	133,0	79,8
8 GroE	800	NVGR020800WC0FA	1200,0	1200,0	1056,0	920,0	832,0	708,8	492,0	232,0	152,0	91,2
9 GroE	900	NVGR020900WC0FA	1350,0	1350,0	1188,0	1035,0	936,0	797,4	553,5	261,0	171,0	102,6
10 GroE	1000	NVGR021000WC0FA	1500,0	1500,0	1320,0	1150,0	1040,0	886,0	615,0	290,0	190,0	114,0
11 GroE	1100	NVGR021100WC0FA	1650,0	1650,0	1452,0	1265,0	1144,0	974,6	676,5	319,0	209,0	125,4
12 GroE	1200	NVGR021200WC0FA	1800,0	1800,0	1584,0	1380,0	1248,0	1063,2	738,0	348,0	228,0	136,8
13 GroE	1300	NVGR021300WC0FA	1950,0	1950,0	1716,0	1495,0	1352,0	1151,8	799,5	377,0	247,0	148,2
14 GroE	1400	NVGR021400WC0FA	2100,0	2100,0	1848,0	1610,0	1456,0	1240,4	861,0	406,0	266,0	159,6
15 GroE	1500	NVGR021500WC0FA	2250,0	2250,0	1980,0	1725,0	1560,0	1329,0	922,5	435,0	285,0	171,0
16 GroE	1600	NVGR021600WC0FA	2400,0	2400,0	2112,0	1840,0	1664,0	1417,6	984,0	464,0	304,0	182,4
17 GroE	1700	NVGR021700WC0FA	2550,0	2550,0	2244,0	1955,0	1768,0	1506,2	1045,5	493,0	323,0	193,8
18 GroE	1800	NVGR021800WC0FA	2700,0	2700,0	2376,0	2070,0	1872,0	1594,8	1107,0	522,0	342,0	205,2
19 GroE	1900	NVGR021900WC0FA	2850,0	2850,0	2508,0	2185,0	1976,0	1683,4	1168,5	551,0	361,0	216,6
20 GroE	2000	NVGR022000WC0FA	3000,0	3000,0	2640,0	2300,0	2080,0	1772,0	1230,0	580,0	380,0	228,0
21 GroE	2100	NVGR022100WC0FA	3150,0	3150,0	2772,0	2415,0	2184,0	1860,6	1291,5	609,0	399,0	239,4
22 GroE	2200	NVGR022200WC0FA	3300,0	3300,0	2904,0	2530,0	2288,0	1949,2	1353,0	638,0	418,0	250,8
23 GroE	2300	NVGR022300WC0FA	3450,0	3450,0	3036,0	2645,0	2392,0	2037,8	1414,5	667,0	437,0	262,2
24 GroE	2400	NVGR022400WC0FA	3600,0	3600,0	3168,0	2760,0	2496,0	2126,4	1476,0	696,0	456,0	273,6
25 GroE	2500	NVGR022500WC0FA	3750,0	3750,0	3300,0	2875,0	2600,0	2215,0	1537,5	725,0	475,0	285,0
26 GroE	2600	NVGR022600WC0FA	3900,0	3900,0	3432,0	2990,0	2704,0	2303,6	1599,0	754,0	494,0	296,4

1,70 V/C - Discharge in A at 20°C												
Type	Part number	1min	5min	10min	15min	20min	30min	1 h	3 h	5 h	10 h	
3 GroE	75	NVGR020075WC0FA	196,5	177,0	142,5	120,0	103,5	82,2	51,3	22,8	15,6	7,5
4 GroE	100	NVGR020100WC0FA	262,0	236,0	190,0	160,0	138,0	109,6	68,4	30,4	20,8	10,0
5 GroE	125	NVGR020125WC0FA	327,5	295,0	237,5	200,0	172,5	137,0	85,5	38,0	26,0	12,5
6 GroE	150	NVGR020150WC0FA	393,0	354,0	285,0	240,0	207,0	164,4	102,6	45,6	31,2	15,0
7 GroE	175	NVGR020175WC0FA	458,5	413,0	332,5	280,0	241,5	191,8	119,7	53,2	36,4	17,5
8 GroE	200	NVGR020200WC0FA	524,0	472,0	380,0	320,0	276,0	219,2	136,8	60,8	41,6	20,0
9 GroE	225	NVGR020225WC0FA	589,5	531,0	427,5	360,0	310,5	246,6	153,9	68,4	46,8	22,5
10 GroE	250	NVGR020250WC0FA	655,0	590,0	475,0	400,0	345,0	274,0	171,0	76,0	52,0	25,0
11 GroE	275	NVGR020275WC0FA	720,5	649,0	522,5	440,0	379,5	301,4	188,1	83,6	57,2	27,5
12 GroE	300	NVGR020300WC0FA	786,0	708,0	570,0	480,0	414,0	328,8	205,2	91,2	62,4	30,0
13 GroE	325	NVGR020325WC0FA	851,5	767,0	617,5	520,0	448,5	356,2	222,3	98,8	67,6	32,5
14 GroE	350	NVGR020350WC0FA	917,0	826,0	665,0	560,0	483,0	383,6	239,4	106,4	72,8	35,0
15 GroE	375	NVGR020375WC0FA	982,5	885,0	712,5	600,0	517,5	411,0	256,5	114,0	78,0	37,5
16 GroE	400	NVGR020400WC0FA	1048,0	944,0	760,0	640,0	552,0	438,4	273,6	121,6	83,2	40,0
17 GroE	425	NVGR020425WC0FA	1113,5	1003,0	807,5	680,0	586,5	465,8	290,7	129,2	88,4	42,5
18 GroE	450	NVGR020450WC0FA	1179,0	1062,0	855,0	720,0	621,0	493,2	307,8	136,8	93,6	45,0
5 GroE	500	NVGR020500WC0FA	840,0	840,0	725,0	630,0	570,0	480,0	327,5	146,0	97,5	57,0
6 GroE	600	NVGR020600WC0FA	1008,0	1008,0	870,0	756,0	684,0	576,0	393,0	175,2	117,0	68,4
7 GroE	700	NVGR020700WC0FA	1176,0	1176,0	1015,0	882,0	798,0	672,0	458,5	204,4	136,5	79,8
8 GroE	800	NVGR020800WC0FA	1344,0	1344,0	1160,0	1008,0	912,0	768,0	524,0	233,6	156,0	91,2
9 GroE	900	NVGR020900WC0FA	1512,0	1512,0	1305,0	1134,0	1026,0	864,0	589,5	262,8	175,5	102,6
10 GroE	1000	NVGR021000WC0FA	1680,0	1680,0	1450,0	1260,0	1140,0	960,0	655,0	292,0	195,0	114,0
11 GroE	1100	NVGR021100WC0FA	1848,0	1848,0	1595,0	1386,0	1254,0	1056,0	720,5	321,2	214,5	125,4
12 GroE	1200	NVGR021200WC0FA	2016,0	2016,0	1740,0	1512,0	1368,0	1152,0	786,0	350,4	234,0	136,8
13 GroE	1300	NVGR021300WC0FA	2184,0	2184,0	1885,0	1638,0	1482,0	1248,0	851,5	379,6	253,5	148,2
14 GroE	1400	NVGR021400WC0FA	2352,0	2352,0	2030,0	1764,0	1596,0	1344,0	917,0	408,8	273,0	159,6
15 GroE	1500	NVGR021500WC0FA	2520,0	2520,0	2175,0	1890,0	1710,0	1440,0	982,5	438,0	292,5	171,0
16 GroE	1600	NVGR021600WC0FA	2688,0	2688,0	2320,0	2016,0	1824,0	1536,0	1048,0	467,2	312,0	182,4
17 GroE	1700	NVGR021700WC0FA	2856,0	2856,0	2465,0	2142,0	1938,0	1632,0	1113,5	496,4	331,5	193,8
18 GroE	1800	NVGR021800WC0FA	3024,0	3024,0	2610,0	2268,0	2052,0	1728,0	1179,0	525,6	351,0	205,2
19 GroE	1900	NVGR021900WC0FA	3192,0	3192,0	2755,0	2394,0	2166,0	1824,0	1244,5	554,8	370,5	216,6
20 GroE	2000	NVGR022000WC0FA	3360,0	3360,0	2900,0	2520,0	2280,0	1920,0	1310,0	584,0	390,0	228,0
21 GroE	2100	NVGR022100WC0FA	3528,0	3528,0	3045,0	2646,0	2394,0	2016,0	1375,5	613,2	409,5	239,4
22 GroE	2200	NVGR022200WC0FA	3696,0	3696,0	3190,0	2772,0	2508,0	2112,0	1441,0	642,4	429,0	250,8
23 GroE	2300	NVGR022300WC0FA	3864,0	3864,0	3335,0	2898,0	2622,0	2208,0	1506,5	671,6	448,5	262,2
24 GroE	2400	NVGR022400WC0FA	4032,0	4032,0	3480,0	3024,0	2736,0	2304,0	1572,0	700,8	468,0	237,6
25 GroE	2500	NVGR022500WC0FA	4200,0	4200,0	3625,0	3150,0	2850,0	2400,0	1637,5	730,0	487,5	285,0
26 GroE	2600	NVGR022600WC0FA	4368,0	4368,0	3770,0	3276,0	2964,0	2496,0	1703,0	759,2	507,0	296,4

The company reserves the right to change the specification

